ProGARM® 5816 Trouser

EN STANDARDS









EBT50=

12cal/cm²



Fabric tested to BS EN 13034: 2005



A1, B1, C1, D1, E1, F1







LOI







FABRIC





PRODUCT DETAILS

Sizes: 30"-52" REG LEG (32"/81cm) 30"-44" TALL LEG (34"/86cm) 32"-42" SHORT LEG (30"/76cm)

Colour: Navy/Yellow

Code: 5816





PRODUCT DESCRIPTION

Best selling work trouser featuring Two Tone design for improved visibility. Ideal for drivers or other wearers requiring a Trouser/Jacket combination. See also matching 5808 Jacket.











ProGARM® 5816 Trouser

FEATURES AND BENEFITS

5cm FR AS Reflective Tape // Double stitched for longer life

Kneepad pockets // Wear with kneepads for extra comfort

Combat pocket with flap // Safe storage space

Mobile phone pocket // Keep your phone safe

Side access pockets with flaps // Protects from debris entry

Extra wide belt loop at rear // Prevents belt riding up

ThermSAFE™ plastic FR zipper // CE Certified

SafetylCON™ on leg pocket // Visual EN Norm icon system

Two rear pockets with flaps // Secure storage space

Triple stitched side seams // Lifetime quality assurance

Reinforced crotch // Improved longevity

ThermSAFE™ Jeans button // Jeans style fastening

FABRIC SPECIFICATION

VXS+ 300W 300g/m² Woven Inherent Fabric with FC Finish

MINHERENT PROTECTION

FR properties last the lifetime of the fabric & do not wash out

INSTANT EXTINGUISHING PROPERTIES


Ultimate protection against Flame & ARC Flash Hazards

MGREAT COMFORT

Breathable, soft to wear & fantastic to touch


M HIGHLY DURABLE

Colourfast with less than 3% washing shrinkage





Side pockets with flaps to prevent debris



Triple needle stitch seams for extra longevity

CARE INFORMATION

- Do not bleach, do not boil, do not use soap based products - only detergents.
- Dirty clothing may lead to a reduction in protection.
- Company will not accept liability for garments where care labels have been ignored, neglected, defaced or removed.
- Always store in clean dry conditions.
- Do not store in places subject to direct strong sunlight.













