

**Certifications**

Approved by ENEDIS

**Section**

MV Sets

**Application**

Field

Laboratory

**PRODUCT BENEFITS**

New generation of Tools

**TOOL CAPACITY**

<b>Diameter</b>	16 - 40 mm 0,630 - 1,575 inch
-----------------	----------------------------------

<b>Section according to voltage rating</b>	50 - 240mm <sup>2</sup>
--	-------------------------

<b>Penciling tool included</b>	5 TC
--------------------------------	------

**TOOL DIMENSIONS**

<b>Length</b>	575 mm
---------------	--------

<b>Width</b>	470 mm
--------------	--------

<b>Height</b>	145 mm
---------------	--------

<b>Weight without box</b>	11,8 Kg
---------------------------	---------

<b>Packaging</b>	Case
------------------	------

## Full kit for distribution underground cable 50 mm<sup>2</sup> up to 240 mm<sup>2</sup> with penciling tool

**TO DO WHAT**

Tools included in the kit CNPT/240-2-MV-NG enable the user to splice each layer of distribution underground cable ranging from 50 mm<sup>2</sup> up to 240 mm<sup>2</sup> in 12/20 kV, prior to junctions or terminations installation.  
Insulation penciling tools included

For any other voltage rating, please check the outer diameter capacity of each tools included in the kit

**Associated tool**

CKM-HTA-240-NG - Case for self service kit for MV 240 NG case

**Case**

MF2/40 - Multifunction tool for outer sheath and insulation

MF1+/25 - Tool for bonded semiconductor and peelable with stylus

SRC - Scoring stylus for peelable semiconductor with chamfer

SCH - Chamfering stylus for insulation

ALROC-FENTE - Tool to perform slits on cable's outer sheath

ROTO-TMG - Connector holder for bolted and clamping connections

GFE-TMG - Roller block for ROTO-TMG to tighten the outer sheath over screen connection

K7/GRATT - Cartidge dedicated to sheath abrading, to be mounted on tool ROTO-TMG

EV/NPT - Tool to spread PE outer sheath with aluminium screen

EV2000 150-240 - Tool to spread PVC outer sheath with aluminium screen

EV 150/240 - Tool to spread PVC outer sheath with aluminium screen

GRI - Scraper for residues of bonded semiconductor

LIGAREX - Clamping tool with return spring for straps

TC50 - Penciling tool for insulation for 50mm<sup>2</sup> in 12/20 kV cablesTC95 - Penciling tool for insulation for 95mm<sup>2</sup> in 12/20 kV cablesTC150 - Penciling tool for insulation for 150mm<sup>2</sup> in 12/20 kV cablesTC240 - Penciling tool for insulation for 240mm<sup>2</sup> in 12/20 kV cablesTCD2000 - Penciling tool for insulation for 150mm<sup>2</sup> & 240mm<sup>2</sup> in UTE C33-223 cables

MV cables Tools

# CNPT/240-2-MV-NG



Part Number	Diameter	Tool capacity		Dimensions			Packaging
		Section according to voltage rating	Pencil tool included	Length	Width	Height	
CNPT/240-1-MV-NG	16 - 40 mm 0,630 - 1,575 in	50 - 240mm <sup>2</sup>	None	390 mm 15,354 in	310 mm 12,205 in	145 mm 5,709 in	case
CNPT/240-2-MV-NG	16 - 40 mm 0,630 - 1,575 in	50 - 240mm <sup>2</sup>	5 TC	575 mm 22,638 in	470 mm 18,504 in	145 mm 5,709 in	case
CNPT/630-1-MV-NG	16 - 58 mm 0,630 - 2,283 in	50 - 630mm <sup>2</sup>	TC630	575 mm 22,638 in	470 mm 18,504 in	145 mm 5,709 in	case



THORNE &  
**DERRICK**  
INTERNATIONAL

Thorne & Derrick  
+44 (0) 191 410 4292  
[www.powerandcables.com](http://www.powerandcables.com)