

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

Pressgel**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Silicon

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Hellermann Tyton GmbH

Großer Moorweg 45

25436 Tornesch

Telephone no. +49 4122 701-1

e-mail substance.legalcompliance@hellermanntyton.de

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification information**

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Not relevant

2.3 Other hazards

PBT assessment

No data available.

vPvB assessment

One or more components of this product are classified as vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Chemical characterization**

Polydimethylsiloxane containing vinyl groups, with Platinum catalyst

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
			%
1	decamethylcyclopentasiloxane		
	541-02-6 208-764-9 - 01-2119511367-43	-	< 2.50 wt%

**THORNE &
DERRICK
INTERNATIONAL**Thorne & Derrick,
+44 (0) 191 410 4292
www.powerandcables.com

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

2	dodecamethylcyclohexasiloxane			
	540-97-6	-	< 2.50	wt%
	208-762-8			
	-			
	01-2119517435-42			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if pain still persists.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings. Compatible with all usual extinguishing media.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); Formaldehyde; Oxides of silica

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. High risk of slipping due to leakage/spillage of product. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale vapours.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

No parameters available for monitoring.

8.2 Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****State of aggregation**

liquid

Form/Colour

EU safety data sheet

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

liquid			
colourless			
Odour			
weak			
pH value			
No data available			
Boiling point / boiling range			
Value	300	°C	
Reference pressure	1013	hPa	
Source	supplier		
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value	appr. 154	°C	
Source	supplier		
Ignition temperature			
No data available			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
Value	1.33	hPa	
Source	supplier		
Relative vapour density			
Value	> 1.0		
Source	supplier		
Comments	Air = 1		
Relative density			
No data available			
Density			
Value	0.974	g/cm ³	
Reference temperature	20	°C	
Method	DIN 51757		
Source	supplier		
Solubility in water			
Source	supplier		
Comments	insoluble		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	decamethylcyclopentasiloxane	541-02-6	208-764-9
log Pow		8.023	
Reference temperature		25.3	°C
Method	OECD 123		

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

Source		ECHA	
2	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
log Pow		8.87	
Reference temperature		23.6	°C
Source		ECHA	

Viscosity			
Value	>	20.5	mm ² /s
Reference temperature		40	°C
Type	kinematic		
Source	supplier		

Particle characteristics**9.2 Other information****Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Keep away sources of ignition.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	decamethylcyclopentasiloxane	541-02-6	208-764-9
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	decamethylcyclopentasiloxane	541-02-6	208-764-9
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2	dodecamethylcyclhexasiloxane	540-97-6	208-762-8

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
LC50		8.67	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
Species	Salmonella typhimurium / Escherichia coli		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
Route of exposure	oral		
NOAEL		1000	mg/kg bw/d
Species	rats (male/female)		
Method	OECD 422		
Source	ECHA		

Carcinogenicity			
No data available			

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
Route of exposure	oral		
NOAEL		1000	mg/kg bw/d
Species	rats (male/female)		
Method	OECD 422		
Source	ECHA		
Route of exposure	inhalational		
NOAEL		1	ppm
Duration of exposure		90	day(s)
Species	rat		
Method	OECD 413		
Source	ECHA		

Aspiration hazard

No data available

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity****Toxicity to fish (acute)**

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
NOEC	>	4.6	µg/l
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)

No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
EC50	>	2.0	µg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
EC50	>	100	mg/l
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
Value		4.47	%
Duration		28	day(s)
Method		OECD 310	
Source		ECHA	
Evaluation		not readily degradable	

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	decamethylcyclpentasiloxane	541-02-6	208-764-9
log Pow		8.023	
Reference temperature		25.3	°C
Method		OECD 123	
Source		ECHA	
2	dodecamethylcyclhexasiloxane	540-97-6	208-762-8
log Pow		8.87	
Reference temperature		23.6	°C
Source		ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	One or more components of this product are classified as vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

The product contains following substance(s) meeting the criteria in Article 57 in association with Article 59 of the REACH regulation ((EC) 1907/2006) that are placed on the list of candidates considered for inclusion in annex XIV (substances subject to Authorisation).

No	Substance name	CAS no.	EC no.
1	decamethylcyclopentasiloxane	541-02-6	208-764-9
2	dodecamethylcyclohexasiloxane	540-97-6	208-762-8

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	decamethylcyclopentasiloxane	541-02-6	208-764-9	70

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid

Trade name: Pressgel

Current version : 1.0.0, issued: 26.01.2021

Replaced version: -, issued: -

Region: GB

contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 772933



THORNE &
DERRICK
INTERNATIONAL

Thorne & Derrick
+44 (0) 191 410 4292
www.powerandcables.com