



Confined Space Cover Net

Data Sheet v1.4

Confined Space Safety

Confined Space Cover Net

Description

Confined Space Cover Nets are designed to prevent accidental confined space area entry. The high quality German fabric is chemical and corrosion resistant and therefore suitable for most heavy industrial use.

The Cover Net is designed for strong wind loads and allows the tank to be closed off while being able to vent through the wide fabric grid openings while airing out the tank.

Accidents with unauthorized confined space entries are often deadly. Confined Space Cover Nets prevent these accidental entries and protect employees and contractors while performing their work.

MODEL	CHARACTERISTICS
Confined Space Cover Net	<ul style="list-style-type: none"> • Coated polyester mesh fabric • Sizes: four standard sizes available • Elastic band black 6 mm diameter to keep cover net in place • Weight: 256 g/m² • Color cover net black • Re-usable, fast and easy to install • Chemical / corrosion resistant • Long life • Cost effective • Danger Confined Space - OSHA sign included as displayed • Flame retardant

Available sizes

The table below indicates which size Confined Space Cover Net is required for the tank opening:

K [XH 'cdYb]b['fmmŁ	K [XH 'cdYb]b['fjbW YgŁ	SinYfYWŁa a YbXYX
500 - 585	20 - 23	Small
585 - 715	23 - 28	Medium
715 - 865	28 - 34	Large
865 - 1000	34 - 40	Extra Large



OUR WORK AREA



CableSafe® / Westmark
B.V Arnhemseweg 87
3832 GK Leusden

