



# Manhole Quick Barrier

Data Sheet v1.0

# Confined Space Safety

## Manhole Quick Barrier

### Description

The CableSafe Manhole Quick Barrier is very flexible and suitable for signing and restricting access to a broad range of out-of-bounds and hazardous areas via apertures, gaps, doorways, windows, openings, vents, and works corridors.

Manhole quick confined space barrier restricts access of manhole. Made of robust materials and easy to install. Custom size possible. Produced in the Netherlands.

MODEL	CHARACTERISTICS
<b>Manhole Quick Barrier</b>	<ul style="list-style-type: none"> <li>• Very robust and can withstand extreme weather and chemical conditions.</li> <li>• Works excellently in all openings made of different materials (metal, wood, masonry, brick, polycarbonate, rubber, plastic, etc.)</li> <li>• Made of aluminum with a high quality powder coating and 3M reflective tape.</li> <li>• Can be adjusted in size.</li> <li>• Remains firmly in place and will not harm other material.</li> <li>• 100% recyclable.</li> </ul>

\* Minimum order quantity of 2 pieces

### Signs

Sign 2 is available in NL (Dutch), FR (French), GB (English), ESP (Spanish) and IT (Italian)

		
Option 1	Option 2	Option 3

# Confined Space Safety Manhole Quick Barrier

## Optional with Ilock

Locks can be provided on request for easy handling and/or locking of the confined space protection barrier. Available with Lockout Tagout.



## Available sizes

- > 45 - 84 cm
- > 64 - 94 cm



# OUR WORK AREA



CableSafe® / Westmark  
B.V Arnhemseweg 87  
3832 GK Leusden

