



Manhole Skirt Barrier

Data Sheet v2.3



Confined Space Safety Manhole Skirt Barrier

Description

Skirt barrier to restrict access of manhole. Made of robust materials and easy to install.

MODEL	CHARACTERISTICS
Manhole Skirt Barrier	<ul style="list-style-type: none"> • These barriers operate effectively with openings made of metal, wood, masonry / brick, polycarbonate / rubber / plastic. • Robust enough to withstand harsh weather conditions, the physical and visual demands of an operational work site and hazardous chemicals. • Robust- made of powder-coated aluminium with galvanized steel bolts. With 3 M Diamond Grade reflective sign.

* Minimum order quantity of 2 pieces

Signs

Sign 2 is available in NL (Dutch), FR (French), GB (English), ESP (Spanish) and IT (Italian)

		
Option 1	Option 2	Option 3

Available sizes

Sign 15 cm round reflective

- > 25-45 cm
- > 45-64 cm
- > 64-83 cm

Sign 20 cm round reflective

- > 83-112 cm
- > 112-141 cm
- > 141-170 cm
- > 170-200 cm

Confined Space Safety Manhole Skirt Barrier

Images



OUR WORK AREA



Subsidiary
Draper, Utah, USA
Westmark LLC

Main office / HQ
Leusden, The Netherlands
Westmark B.V.

