

D-196-01-F HEAVY DUTY CABLE ROLLER



All Zinc plated heavy duty assembly suitable for cables up to 125mm dia. Steel frame fitted large waisted steel roller running on sealed ball bearings.

SPECIFICATIONS

Dimensions	350 x 230mm
Weight	4kg

ORDERING INFORMATION

D-196-01-F	Heavy Duty Cable Roller
------------	-------------------------

D-196-02 NARROW CABLE ROLLER



Designed for use in narrow trenches. Lightweight assembly suitable for cables up to 76mm dia. Zinc plated steel frame fitted with large waisted solid aluminium roller running on low friction sintered bushes.

SPECIFICATIONS

Dimensions	320 x 145mm
Weight	2.75kg

ORDERING INFORMATION

D-196-02-F	Narrow Cable Roller
------------	---------------------

D-196-04 BRIDGE ROLLER



All Zinc plated heavy duty assembly as per the D-196-01, a cable roller designed to bridge existing cables up to 90mm dia.

SPECIFICATIONS

Dimensions	350 x 230mm
Weight	4.5kg

ORDERING INFORMATION

D-196-04-F	Bridge Roller
------------	---------------

D-194 V FRAME GUIDE SET



Positioned in front of drum to guide cable into a trench or duct.

SPECIFICATIONS

Dimensions	825 x 500 x 415mm
Weight	19.45kg

ORDERING INFORMATION

D-194	V Frame Guide Set
-------	-------------------

D-195 TRENCH FEED ROLLER SET



Guides cables into trench, adjustable vertical guide rollers.

SPECIFICATIONS

Dimensions	1000 x 200 x 250mm
Weight	22kg

ORDERING INFORMATION

D-195	Trench Feed Roller Set
-------	------------------------

D-439 LEAD ROLLER



A horizontal roller to protect cable feeding from drum, fitted with end guides

SPECIFICATIONS

Dimensions	1000 x 300 x 180mm
Weight	11kg

ORDERING INFORMATION

D-439	Lead Roller
-------	-------------

D-1041-001 MANHOLE ENTRY ROLLER



This roller is used to guide draw rope into and out of manhole openings.

SPECIFICATIONS

Dimensions	260 x 150 x 160mm
Weight	2.4kg

ORDERING INFORMATION

D-1041-001	Manhole Entry Roller
------------	----------------------

D-1047-001 TRIPLE CORNER ROLLER



All zinc plated finish and using two vertical and one horizontal steel roller for taking the heaviest cables round difficult corners.

SPECIFICATIONS

Dimensions	295 x 290 x 540mm
Weight	12kg

ORDERING INFORMATION

D-1047-001	Triple Corner Roller
------------	----------------------

D-437-F ANGLE CORNER ROLLER



Purpose designed for taking the heaviest cables round difficult corners and bends. Incorporates a vertical and horizontal roller 75mm diameter on low friction sintered bushes

SPECIFICATIONS

Dimensions	280 x 160 x 300mm
Weight	9kg

ORDERING INFORMATION

D-437-F	Angle Corner Roller
---------	---------------------

D-1048-001-F MANHOLE QUADRANT ROLLER

Designed for placing at the end of the manhole or pit entrance to ease the cable in. Triple Aluminium Roller on tubular steel frame. Zinc Plated.



SPECIFICATIONS

Dimensions	500 x 290 x 630mm
Weight	14kg

ORDERING INFORMATION

D-1048-001-F	Manhole Quadrant Roller
--------------	-------------------------

CABLE PULLING GRIPS



Cable Pulling Grips are manufactured from high-grade galvanized steel wire, in either a single or double weave construction.

Slipped over the outside of the cable, when tension is applied the grip contracts applying the pulling force to the cable.

Split grips are available on all models, for example; E-958-0611-SP.

CABLE STOCKINGS

SPECIFICATIONS - SINGLE WEAVE

Single Eye	E-958-0611	E-958-1311	E-958-1911	E-958-2511
Double Eye	E-958-0612	E-958-1312	E-958-1912	E-958-2512
Diameter Range	6-13mm	13-19mm	19-25mm	25-38mm
Grip Length	300mm	550mm	600mm	700mm

SPECIFICATIONS - DOUBLE WEAVE

Single Eye	E-958-3821	E-958-5121	E-958-6321
Double Eye	E-958-3822	E-958-5122	E-958-6322
Diameter Range	38-51mm	51-63mm	63-76mm
Grip Length	1000mm	1300mm	1300mm