





## **LINK BOX TECHNICAL DATA SHEET**

Drw. No. 04.09.03 Article No. 05703001/0

 Issued Date:
 10.05.2019

 Rev. Date:
 3.08.2021


 Rev.
 02

- Description	LB. W . E .3SA . 3 . 1  Three Phase Earthing Link Box for Single Cable		
- Description - Designation	I nree Phase Earthing Link Box for Single Cable Wall Type		
- Designation - Bonding	Earthing		
- Sheath Voltage Limiter	-		
- Phase No.	qty 3		
Earth			
Drawing Number	04.09.03		
- Article No	04-09-03 05703001/0		
Electrical Characteristics			
- Rated Frequency	50/60 Hz		
- SVL Type (*)	Up to 18 kV / Optional		
Protection Class	IP 66		
Material			
- Enclosure	Stainless Steel AISI304 (AISI316 optional)		
- Body Thickness (**)	2 mm		
- Cover Thickness	3 mm		
- Connection Links	10 μm Tinned Electrolytic Copper		
- Connection Links Dimension	40x10 mm (400 mm2)		
- Gasket	Silicone		
- Cable Glands	4x48 mm		
- Cable Glands Insulation	Silicone gasket & EPR tape		
- Insulation	Epoxy Support Insulator		
- Conductor Fixing	Conductor Flexconn - 95-400 mm2		
- Painting Process	Electro Static Polyester Powder Paint		
- Painting Code	RAL 7032		
- Labeling Material	Stainless Steel		
- Protection Cover	PET-G		
AC Impulse Test			
- Phase-to-Phase	60 kV		
- Phase-to-Earth	40 kV		
/oltage Withstand Test - AC	20 kV/1 min		
- DC	25 kV/5 min		
	23 KV/3 IIIII		
Short Circuit Test - Symmetrical	N/A		
Internal Power Arcing Test (Symmetrical)	40 kA/0.1 sec		

<sup>\*</sup> In case of mismatch in given values, technical drawing provided along with the Order Confirmation is valid. Ask for conformity if SVL is out of EMELEC's scope.


<sup>\*\*</sup> Body Thickness might differ related to technical drawing revision. For exact value, refer to technical drawing provided along with the Order Confirmation

## Bonding Cable



Ø.

Schematic Diagram



## Enclosure Dimensions (\*)

Width	550 mm	
Length	650 mm	
Heigth	250 mm	
Weigth	44 kg	
Filling Compund	(Optional)	
Volume	N/A	

<sup>\*</sup> Scheme and dimensions are not to be mentioned as final drawing. For exact dimensions, refer to technical drawing provided along with the Order Confirmation

<sup>\*\*</sup> Given are approximate values. Actual values might sligthly differ.